


## Phantom 30 / System Configurations

### Set Up: 6 x 4 Frames


Number of Frames:	24
real Size:	22 sqm.
Number of Pixel:	192 x 128
Weight:	216 kg (without rigg)
Electrical Power:	8 KW (@ full white)
need power connection:	16 A CEE
min. Viewing-Distance*:	50 m
max. Viewing-Distance*:	100 m
No. of PSU	4



Frame-Cases:	2,0 (12 Frames)
Dimension:	200 x 120 x 80
Standard-Cases:	2
Dimension:	120 x 80 x 60
Total Weight*:	0,8 to.
Total volume*:	5 cqm.

### Set Up: 7 x 4 Frames

Number of Frames:	28
real Size:	26 sqm.
Number of Pixel:	224 x 128
Weight:	252 kg (without rigg)
Electrical Power:	10 KW (@ full white)
need power connection:	16 A CEE
min. Viewing-Distance*:	50 m
max. Viewing-Distance*:	120 m
No. of PSU	5



Frame-Cases:	2,5 (12 Frames)
Dimension:	200 x 120 x 80
Standard-Cases:	2
Dimension:	120 x 80 x 60
Total Weight*:	0,9 to.
Total volume*:	6 cqm.

\* Attention: viewing-distances and weights, sizes, volume for the transportation should give an idea and are without any guarantee !!




## Phantom 30 / System Configurations

# G-LEC

### Set Up: 9 x 5 Frames


Number of Frames: 45  
real Size: 41 sqm.  
Number of Pixel: 288 x 160  
Weight: 405 kg (without rigg)  
Electrical Power: 16 KW (@ full white)  
need power connection: 32 A CEE  
min. Viewing-Distance\*: 50 m  
max. Viewing-Distance\*: 150 m  
No. of PSU 8



Frame-Cases: 4,0 (12 Frames)  
Dimension: 200 x 120 x 80  
Standard-Cases: 4  
Dimension: 120 x 80 x 60  
Total Weight\*: 1,5 to.  
Total volume\*: 10 cqm.

### Set Up: 11 x 6 Frames

Number of Frames: 66  
real Size: 61 sqm.  
Number of Pixel: 352 x 192  
Weight: 594 kg (without rigg)  
Electrical Power: 23 KW (@ full white)  
need power connection: 32 A CEE  
min. Viewing-Distance\*: 50 m  
max. Viewing-Distance\*: 200 m  
No. of PSU 11



Frame-Cases: 11 (12 Frames)  
Dimension: 200 x 120 x 80  
Standard-Cases: 5  
Dimension: 120 x 80 x 60  
Total Weight\*: 3,2 to.  
Total volume\*: 24 cqm.

\* Attention: viewing-distances and weights, sizes, volume for the transportation should give an idea and are without any guarantee !!

**G-LEC** Vision GmbH

Im Stoeckmaedle 2

D-76307 Karlsbad / Germany

fon: +49 (0) 7248 927 40-0

fax: +49 (0) 7248 927 40-10

[www.g-lec.com](http://www.g-lec.com)




## Phantom 30 / System Configurations

# G-LEC

### Set Up: 13 x 7 Frames


Number of Frames: 91  
 real Size: 84 sqm.  
 Number of Pixel: 416 x 224  
 Weight: 819 kg (without rigg)  
 Electrical Power: 32 KW (@ full white)  
 need power connection: 63 A CEE  
 min. Viewing-Distance\*: 50 m  
 max. Viewing-Distance\*: 250 m  
 No. of PSU 16



Frame-Cases: 8 (12 Frames)  
 Dimension: 200 x 120 x 80  
 Standard-Cases: 6  
 Dimension: 120 x 80 x 60  
 Total Weight\*: 2,7 to.  
 Total volume\*: 19 cqm.

### Set Up: 14 x 8 Frames

Number of Frames: 112  
 real Size: 103 sqm.  
 Number of Pixel: 448 x 256  
 Weight: 1.008 kg (without rigg)  
 Electrical Power: 39 KW (@ full white)  
 need power connection: 63 A CEE  
 min. Viewing-Distance\*: 50 m  
 max. Viewing-Distance\*: 300 m  
 No. of PSU 19



Frame-Cases: 10 (12 Frames)  
 Dimension: 200 x 120 x 80  
 Standard-Cases: 6  
 Dimension: 120 x 80 x 60  
 Total Weight\*: 3,2 to.  
 Total volume\*: 23 cqm.

\* Attention: viewing-distances and weights, sizes, volume for the transportation should give an idea and are without any guarantee !!




## Phantom 30 / System Configurations

# G-LEC

### Set Up: 16 x 9 Frames


Number of Frames: 144  
 real Size: 133 sqm.  
 Number of Pixel: 512 x 288  
 Weight: 1.296 kg (without rigg)  
 Electrical Power: 50 KW (@ full white)  
 need power connection: 125 A CEE  
 min. Viewing-Distance\*: 50 m  
 max. Viewing-Distance\*: 350 m  
 No. of PSU 24



Frame-Cases: 12 (12 Frames)  
 Dimension: 200 x 120 x 80  
 Standard-Cases: 7  
 Dimension: 120 x 80 x 60  
 Total Weight\*: 3,8 to.  
 Total volume\*: 27 cqm.

### Set Up: 18 x 10 Frames

Number of Frames: 180  
 real Size: 166 sqm.  
 Number of Pixel: 576 x 320  
 Weight: 1.620 kg (without rigg)  
 Electrical Power: 63 KW (@ full white)  
 need power connection: 125 A CEE  
 min. Viewing-Distance\*: 50 m  
 max. Viewing-Distance\*: 400 m  
 No. of PSU 30



Frame-Cases: 15 (12 Frames)  
 Dimension: 200 x 120 x 80  
 Standard-Cases: 8  
 Dimension: 120 x 80 x 60  
 Total Weight\*: 4,6 to.  
 Total volume\*: 33 cqm.

\* Attention: viewing-distances and weights, sizes, volume for the transportation should give an idea and are without any guarantee !!

**G-LEC** Vision GmbH

Im Stoeckmaedle 2

D-76307 Karlsbad / Germany

fon: +49 (0) 7248 927 40-0

fax: +49 (0) 7248 927 40-10

www.g-lec.com



## Phantom 30 / System Configurations

# G-LEC

### Set Up: 19 x 11 Frames

Number of Frames:	209	
real Size:	193 sqm.	
Number of Pixel:	608 x 352	
Weight:	1.881 kg	(without rigg)
Electrical Power:	73 KW	(@ full white)
need power connection:	125 A	CEE
min. Viewing-Distance*:	50 m	
max. Viewing-Distance*:	430 m	
No. of PSU	35	
Frame-Cases:	18	200 x 120 x 80
Standard-Cases:	9	120 x 80 x 60
Total Weight*:	5,4 to.	
Total volume*:	40 cqm.	

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	
1																				
2																				
3																				
4																				
5																				
6																				
7																				
8																				
9																				
10																				
11																				



\* Attention: viewing-distances and weights, sizes, volume for the transportation should give an idea and are without any guarantee !!

**G-LEC** Vision GmbH  
 Im Stoeckmaedle 2  
 D-76307 Karlsbad / Germany

fon: +49 (0) 7248 927 40-0  
 fax: +49 (0) 7248 927 40-10  
[www.g-lec.com](http://www.g-lec.com)



# Phantom 30 / System Configurations



## Set Up: 21 x 12 Frames

Number of Frames: 252  
 real Size: 232 sqm.  
 Number of Pixel: 672 x 384  
 Weight: 2.268 kg (without rigg)  
 Electrical Power: 88 KW (@ full white)  
 need power connection: 150 A  
 min. Viewing-Distance\*: 50 m  
 max. Viewing-Distance\*: 460 m  
 No. of PSU 42  
  
 Frame-Cases: 21 200 x 120 x 80  
 Standard-Cases: 11 120 x 80 x 60  
 Total Weight\*: 6,4 to.  
 Total volume\*: 47 cqm.

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	
1																						
2																						
3																						
4																						
5																						
6																						
7																						
8																						
9																						
10																						
11																						
12																						



\* Attention: viewing-distances and weights, sizes, volume for the transportation should give an idea and are without any guarantee !!



## Phantom 30 / System Configurations

# G-LEC

**Set Up:** 23 x 13 Frames

Number of Frames: 299  
 real Size: 276 sqm.  
 Number of Pixel: 736 x 416  
 Weight: 2.691 kg (without rigg)  
 Electrical Power: 105 KW (@ full white)  
 need power connection: 180 A  
 min. Viewing-Distance\*: 50 m  
 max. Viewing-Distance\*: 480 m  
 No. of PSU 50

Frame-Cases: 25 200 x 120 x 80  
 Standard-Cases: 13 120 x 80 x 60  
 Total Weight\*: 7,6 to.  
 Total volume\*: 55 cqm.

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
1																							
2																							
3																							
4																							
5																							
6																							
7																							
8																							
9																							
10																							
11																							
12																							
13																							



\* Attention: viewing-distances and weights, sizes, volume for the transportation should give an idea and are without any guarantee !!

**G-LEC** Vision GmbH  
 Im Stoeckmaedle 2  
 D-76307 Karlsbad / Germany


fon: +49 (0) 7248 927 40-0  
 fax: +49 (0) 7248 927 40-10  
[www.g-lec.com](http://www.g-lec.com)



# Phantom 30 / System Configurations



## Set Up: 25 x 14 Frames

Number of Frames: 350  
 real Size: 323 sqm.  
 Number of Pixel: 800 x 448  
 Weight: 3.150 kg (without rigg)  
 Electrical Power: 123 KW (@ full white)  
 need power connection: 200 A  
 min. Viewing-Distance\*: 50 m  
 max. Viewing-Distance\*: 500 m  
 No. of PSU 59  
  
 Frame-Cases: 30 200 x 120 x 80  
 Standard-Cases: 15 120 x 80 x 60  
 Total Weight\*: 9,0 to.   
 Total volume\*: 66 cqm.

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
1																									
2																									
3																									
4																									
5																									
6																									
7																									
8																									
9																									
10																									
11																									
12																									
13																									
14																									

\* Attention: viewing-distances and weights, sizes, volume for the transportation should give an idea and are without any guarantee !!





# Phantom 30 / System Configurations



## Set Up: 27 x 15 Frames

Number of Frames: 405  
 real Size: 373 sqm.  
 Number of Pixel: 864 x 480  
 Weight: 3.645 kg (without rigg)  
 Electrical Power: 142 KW (@ full white)  
 need power connection: 230 A  
 min. Viewing-Distance\*: 50 m  
 max. Viewing-Distance\*: 530 m  
 No. of PSU 68  
  
 Frame-Cases: 34 200 x 120 x 80  
 Standard-Cases: 17 120 x 80 x 60  
 Total Weight\*: 10,2 to.  
 Total volume\*: 75 cqm.



	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27
1																											
2																											
3																											
4																											
5																											
6																											
7																											
8																											
9																											
10																											
11																											
12																											
13																											
14																											
15																											

\* Attention: viewing-distances and weights, sizes, volume for the transportation should give an idea and are without any guarantee !!



# Phantom 30 / System Configurations



**Set Up:** 28 x 16 Frames

- Number of Frames: 448
- real Size: 413 sqm.
- Number of Pixel: 896 x 512
- Weight: 4.032 kg (without rigg)
- Electrical Power: 157 KW (@ full white)
- need power connection: 250 A
- min. Viewing-Distance\*: 50 m
- max. Viewing-Distance\*: 560 m
- No. of PSU 75
  
- Frame-Cases: 38 200 x 120 x 80
- Standard-Cases: 19 120 x 80 x 60
- Total Weight\*: 11,4 to.
- Total volume\*: 84 cqm.



	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28
1																												
2																												
3																												
4																												
5																												
6																												
7																												
8																												
9																												
10																												
11																												
12																												
13																												
14																												
15																												
16																												

\* Attention: viewing-distances and weights, sizes, volume for the transportation should give an idea and are without any guarantee !!

